

PHARMACOPŒIA
OF THE
BRITISH HOSPITAL
FOR
DISEASES OF THE SKIN.

615.11 (42)

56 61.5.11/42
The Royal College of Physicians
of London.

From the Library of
Sir Andrew Clark, Bart.
Presented by Lady Clark.

134919

SL/2S-5-f-40

THE PHARMACOPŒIA
OF THE
BRITISH HOSPITAL
C
FOR
DISEASES OF THE SKIN,
LONDON.

GREAT MARLBOROUGH STREET (West Branch).
FINSBURY SQUARE (East Branch).
NEWINGTON BUTTS (South Branch).

Edited by
BALMANNO SQUIRE, M.B. LOND.,
SENIOR SURGEON TO THE HOSPITAL.

LONDON:
J. & A. CHURCHILL.
1879.

ROYAL COLLEGE OF PHYSICIANS LIBRARY	
CLASS	615.11(42)
ACCN	3747
SOURCE	Lady Clark Gift
DATE	

CONTENTS.

	PAGE
PREFACE	5
AQUÆ	7
BALNEA	7
CAPSULÆ	10
CATAPLASMATA	10
CAUSTICA	11
COLLYRIA	15
CONFECTIO	17
EMPLASTRUM	18
ENEMA	19
GARGARISMATA	20
GLYCERINUM	23
INJECTIO	24
LOTIONES	24
MISTURÆ	31
PESSI	40
PIGMENTA	41
PILULÆ	46
PULVERES	48
SAPONES	50
SUPPOSITORIA	51
UNGUENTA	52
INDEX	61

PREFACE.

IN editing this collection of remedies, endeavour has been made to attain simplicity in the formulæ and conciseness in the directions.

It has been thought unnecessary to repeat here any of the prescriptions for skin-treatment which are already provided in the 'British Pharmacopœia.'

The names of the ingredients of the formulæ refer to drugs or preparations of the 'British Pharmacopœia' of 1867, in all cases where those names are there to be found.

With the object of presenting a clear general view, and of aiding the memory, the total quantity of each prescription has been reduced in every possible instance to an ounce.

The directions as to the uses of the formulæ are, as will be plain, mere illustrations selected from the commoner diseases of the skin.

B. S.

LONDON, *May*, 1879.



PHARMACOPŒIA.

AQUÆ MEDICATÆ OMNES.

R. Olei Essentialis, m̄ vj.
Aquæ, 3xvj.

Shake the bottle well five separate times at intervals of a quarter of an hour, and, after a day, filter.

This plan yields as good a result as the official method by distillation, and is less expensive for hospital purposes.

BALNEA—BATHS.

To obtain advantage in skin diseases, the use of medicated water baths must always be prolonged, namely, for never less than an hour. In order to render this prolonged employment of water baths practicable, the temperature of the bath must not vary at the most more than within a couple of degrees above or below 90° Fahrenheit.

Balneum Acidum.

R. Acidi Nitrici, ℥iss.
Acidi Hydrochlorici, ℥j.
Aquæ, C. xxx.
Mix.

Used as a sedative in cases of Prurigo and of Chronic Urticaria.

Balneum Alkalinum.

R. Sodæ Carbonatis, ℥iv.
Aquæ, C. xxx.
Dissolve.

Used as a solvent to remove scabs and scaly incrustations, and as a sedative in cases of Eczema, Psoriasis, and Chronic Lichen.

Balneum Creasoti.

R. Creasoti, ℥ij.
Aquæ, C. xxx.
Dissolve.

Used as a mild stimulant in cases of Squamous Eczema and Pityriasis.

Balneum Diuturnum.

R. Aquæ, C. xxx.

Used (at the temperature of 90° Fahrenheit) for three hours every morning, and three hours every afternoon, in cases of Psoriasis and of Pemphigus.

Balneum Glutinis.

R. Glutinis Præparati, lb. viij.

Aquæ, C. xxx.

Dissolve.

Used as a demulcent in cases of Acute Lichen.

Balneum Marinum.

R. Salis Marini, lb. viij.

Aquæ, C. xxx.

Dissolve.

Used as a tonic stimulant in convalescent Eczema and Impetigo.

Balneum Potassæ Sulphuratæ.

R. Potassæ Sulphuratæ, ℥iv.

Aquæ, C. xxx.

Dissolve.

Used as a solvent and stimulant in cases of Psoriasis, Pityriasis, Acne and Impetigo, and as a specific in Scabies.

CAPSULÆ—CAPSULES.

Capsulæ Olei Phosphorati.

Containing each gr. $\frac{1}{30}$ Phosphorus dissolved in Olive Oil.

Used in cases of Psoriasis, of Chronic Eczema, and of Chronic Lichen.

Dose.—One, two, or three capsules three times a day. *Maximum dose*, four capsules three times a day.

Note.—The use of this remedy demands care.

CATAPLASMATA—POULTICES.

Cataplasma Micæ Panis.

R. Micæ Panis.

Aquæ ferventis, aa q. s.

Cataplasma Thymolis.

R. Thymolis, gr. x.

Lini Farinæ, $\bar{3}$ ij.

Olei Olivæ, $\bar{3}$ ij.

Aquæ ferventis, $\bar{3}$ v.

Used as an antiseptic poultice for foul sores.

CAUSTICA—CAUSTICS.

Causticum Acidi Arsenici.

R. Acidi Arseniosi, gr. xx.
 Cinnabaris Factitiæ, 3j.
 Adipis, 3j.
 Mix.

Used in cases of Lupus.

The caustic is spread thinly on strips of linen, and thus applied to the affected surface for twenty-four hours. This procedure is renewed for two or three consecutive days if necessary, the skin being well washed after each application. Thus applied, the caustic leaves all islets of healthy skin intact, and destroys only the Lupus-tissue. The extent of surface under treatment at any given time should not exceed double the size of the palm.

Causticum Acidi Carbolici.

R. Acidi Carbolici, 3j.
 Aquæ, 3ss.
 Dissolve.

Used in cases of Lupus and in Alopecia Areata.

Carbolic acid, even in this its most concentrated liquid condition, is one of the most superficially acting of caustics, and is of special use when only a very shallow depth of action is desired.

Causticum Acidi Chromici.

R. Acidi Chromici.

Aquæ, $\overline{aa}$ $\overline{3j}$.

Dissolve.

Used in cases of Lupus and for destroying Warts.

This solution, although considerably stronger than those ordinarily used, is not a fully saturated solution ($\overline{3j}$ of Chromic Acid dissolving in little more than $\overline{3ss}$ of water).

Chromic Acid, like Nitrate of Silver, is an oxidizing caustic. Its action resembles in many respects that of Nitrate of Silver.

Causticum Argenti Nitratis.

R. Argenti Nitratis, $\overline{3ss}$.

Spiritûs Vini Rectificati, $\overline{3j}$.

Dissolve.

Used in cases of Lupus and of circumscribed patches of Psoriasis of limited extent.

This (a saturated spirituous solution of Nitrate of Silver) is preferable for cutaneous purposes to an *aqueous* solution of the Nitrate, which is apt to collect itself into drops immediately after it has been applied to the skin.

Lunar caustic exerts in any form only a very superficial action as an escharotic.

Causticum Depilatorium.

R. Calcis Sulphuratæ, ʒiss.
Zinci Oxidi, ʒvj.
Carminæ, gr. j.

Mix.

Used in cases of "Hirsuties," and as an adjunct in the treatment of some diseases of the scalp.

Mix the powder with water to make a thin paste, allow this to remain on the skin for three minutes, and then wash it off with water.

Causticum Iodi.

R. Iodi, ʒiij.
Potassii Iodidi, ʒi.
Spiritus Vini Rectificati, ʒj.

Dissolve.

Used in cases of Lupus and of indolent (i. e. non-phagedænic) tertiary syphilitic ulcers.

Causticum Potassæ cum Calce.

R. Potassæ Causticæ.
Calcis, aa ʒss.

Mix.

Used in cases of Lupus, but not in Lupus of the face.

Make the powder into a paste with alcohol

at the time of application, and allow it to remain, on the portion of skin to be attacked, for ten or fifteen minutes. Protect the surrounding skin from the action of the caustic by strips of plaster.

This is a deeply acting caustic, and must be used with caution.

Causticum Sabinæ.

R. Pulvis Sabinæ, 3vij.
Zinci Oxidi, 3j.
Mix.

Used as a caustic to Venereal Warts.

The direct action of this caustic is only very superficial.

Causticum Sodæ Æthylatis.

R. Sodæ Æthylatis, 3ss.
Alcohol Absoluti, 3vj.
Dissolve.

Used in cases of Vascular and of Pigmentary Nævus.

The action of this caustic may be checked quickly by dropping upon the part a drop of Chloroform.

The Æthylate of Soda is prepared by treating absolute alcohol with metallic sodium.

Causticum Zinci Chloridi.

R. Zinci Chloridi.

Zinci Oxidi, $\overline{aa}$ $\overline{ss}$.

Mix.

Used in cases of Lupus, but not in Lupus of the face.

Make the powder into a thick paste with water at the time of application.

This is a deeply acting caustic, and must be used with caution. It requires, however, to be kept applied to the portion of the skin to be destroyed, for a much longer time than the Causticum Potassæ cum Calce.

COLLYRIA—EYE-WATERS.

Collyria should be used lukewarm.

All of the Collyria here named are intended to be used three times a day.

The best method of employing the Collyria is to direct the patient to sit, holding his head well back, so that his chin is slightly above the level of his forehead, and, while so, to turn his face a little to one side so that the eye to be treated is slightly above the level of the other. In this position, the lids being shut, the Collyrium is to be poured by the patient or a friend into the cup formed by the inner

half of the orbit with the root of the nose. The patient has now only to blink a few times in order to use in the most efficient manner the Collyrium. This plan is preferable to the use of eye-water-glasses and other customary methods.

Collyrium Atropiæ Sulphatis.

R. Atropiæ Sulphatis, gr. $\frac{1}{8}$.
Aquæ, $\bar{z}$ j.

Dissolve.

Used, to dilate the pupil, in cases of Syphilitic Eruptions complicated with Syphilitic Iritis.

Collyrium Cupri Sulphatis.

R. Cupri Sulphatis, gr. ij.
Aquæ, $\bar{z}$ j.

Dissolve.

Used as a stimulant in cases of Eczema, Impetigo, &c., invading the conjunctivæ.

Collyrium Hydrargyri Perchloridi.

R. Hydrargyri Perchloridi, gr. $\frac{1}{8}$.
Aquæ, $\bar{z}$ j.

Dissolve.

Used as a stimulant in cases of Eczema, and as a specific in cases of Syphilitic Eruptions invading the conjunctivæ.

Collyrium Zinci Sulphatis.

R. Zinci Sulphatis, gr. ij.
Aquæ, ʒj.

Dissolve.

Used as a stimulant in cases of Eczema and of other eruptions invading the conjunctivæ.

CONFECTIO—CONFECTION.

Confectio Sulphuris Composita.

R. Sulphuris Præcipitati, gr. xx.
Potassæ Tartratis Acidæ, gr. v.
Theriacæ, ʒj.

Mix.

Used as a laxative and diaphoretic in dry Eczema and in Lichen.

EMPLASTRUM—PLASTER.



Emplastrum Hydrargyri Compositum.

R. Hydrargyri,	ʒij.
Terebinthinæ Olei,	℥ xx.
Ceræ Flavæ,	ʒj.
Resinæ,	ʒij.
Styracis Præparati,	ʒj.
Emplastrum Plumbi,	ʒj.

Mix.

Used as a specific in cases of Syphilitic Eruptions, and as a stimulant and absorbent in cases of Acne Rosacea, of Sycosis, and of Chronic Lichen.

Preparation. — Triturate together (in a warmed iron mortar till metallic globules have disappeared), the Mercury, Storax, and Turpentine.

Melt together the Lead-plaster with the Wax and Resin, and when it has cooled to the consistence of a soft ointment, add the mercurial mixture and incorporate by agitation.

ENEMA—CLYSTER.

Enema Calcis cum Ferro.

R. Tincturæ Ferri Perchloridi, ℥ xx.
Liquoris Calcis, ʒj.

Mix.

Used as a specific in cases of Prurigo Podicis, dependent on the presence of ascarides in the rectum.

GARGARISMATA—GARGLES.

Gargles should be used, preferably, lukewarm.

All of the Gargles here named should be used at the least three times a day.

In the employment of Gargles, the patient should be directed to take only a small quantity of gargle into the mouth at a time, and to hold his head well back during the act of gargling. He should also be ordered to repeat the process of gargling with a fresh quantity of gargle at least more than once on each occasion.

It is an advantage to precede each occasion of using any of the gargles by first gargling with some mild "mucus-detergent," such as a weak lukewarm solution of the "Sapo Durus cum Glycerino."

It is a further advantage, especially in lesions situated behind the anterior pillars of the fauces, if the patient be directed to follow each act of gargling by making repeated swallowing motions, without however actually swallowing. During this procedure the head must still be held well back.

Gargarisma Acidi Tannici.

R. Glycerini Acidi Tannici, ʒij.
Aquæ, ad ʒj.

Mix.

Used as an astringent in cases of Herpes Labialis complicated with simple sore-throat, and in cases of Lupus invading the gums, &c., and accompanied with excessive discharge, also in cases of Syphilitic Eruptions complicated with salivation or with sponginess of the gums arising from mercurialism.

Gargarisma Hydrargyri Perchloridi.

R. Hydrargyri Perchloridi, gr. $\frac{1}{2}$.
Aquæ, ʒj.

Dissolve.

Used as a specific in cases of Syphilitic Eruptions complicated with mucous patches of the lips, tongue, mouth, or throat.

Gargarisma Potassæ Chloratis.

R. Potassæ Chloratis, ʒss.
Aquæ, ʒj.

Dissolve.

Used as a mild stimulant in cases of Syphilitic Eruptions complicated with specific lesions of the lips, tongue, mouth, or throat, and in cases of salivation.

Gargarisma Sodæ Chloratæ.

R. Sodæ Chloratæ Liquor, ʒss.
Aquæ, ad ʒj.

Mix.

Used as an antiseptic in cases of Syphilitic Eruptions complicated with sloughing or phagedænic lesions of the lips, tongue, mouth, or throat.

GLYCERINUM—GLYCEROLE.

Glycerinum Guaiaci.

R. Tincturæ Guaiaci, ʒss.
 Glycerini, ad ʒij.

Mix.

Used as a stimulant and diaphoretic in cases of eruptions complicated with chronic rheumatism and debility.

Although glycerine will not dissolve the resin of Guaiacum, yet, unlike water, its admixture with the tincture does not precipitate the Guaiacum. It is therefore a more convenient means of diluting the tincture than water, which precipitates the resin from the tincture. The admixture of glycerine with the tincture moreover softens the flavour of the Guaiacum, which water does not. The tincture can be diluted to any extent with *glycerine*, but the mixture of glycerine with tincture cannot be diluted with water, except with precipitation of the resin.

INJECTIO VAGINALIS—VAGINAL
INJECTION.

Injectio Aluminis et Zinci.

R. Aluminis, gr. vj.
Zinci Sulphatis, gr. ij.
Aquæ, ʒj.

Dissolve.

Used as an astringent in cases of Pruritus
Vulvæ complicated with Leucorrhœa.

LOTIONES—LOTIONS.

Lotio Acidi Benzoici.

R. Acidi Benzoici, gr. ij.
Aquæ, ʒj.

Dissolve.

Used as a sedative in cases of Chronic
Urticaria.

This is a saturated solution of Benzoic
Acid in water.

Lotio Acidi Boracici.

R. Acidi Boracici, gr. xv.

Aquæ, ℥j.

Dissolve.

Used in cases of Eczema and in Prurigo Podicis.

This is nearly a saturated aqueous solution of Boracic Acid, the maximum solubility of Boracic Acid in ℥j of water being about seventeen grains.

Lotio Acidi Carbolic.

R. Acidi Carbolic, gr. x.

Aquæ, ℥j.

Dissolve.

Used as an antiseptic and stimulant in foul or syphilitic ulcerations, and to allay irritation in Chronic Eczema and Psoriasis.

Lotio Acidi Hydrocyanici.

R. Acidi Hydrocyanici Diluti, ℥ x.

Aquæ, ℥j.

Mix.

Used as a sedative in various eruptions to allay irritation.

Lotio Acidi Nitrici.

R. Acidi Nitrici Diluti, m̄ x.
Aquaë, ʒj.
Mix.

Used as a sedative in various eruptions to allay irritation.

Lotio Acidi Sulphurosi.

R. Acidi Sulphurosi, ʒij.
Aquaë, ad ʒj.
Mix.

Used to destroy vegetable parasites in cases of Ringworm (*Tinea Tonsurans*), of Favus, of Chloasma, and of Eczema Marginatum.

The volatility of Sulphurous Acid requires that the otherwise rapid evaporation of the acid from the lotion should be retarded by applying the lotion on lint or rag covered with oilsilk.

Lotio Aluminis.

R. Aluminis, gr. x.
Aquaë, ʒj.
Dissolve.

Used as an astringent in Eczema, in Acne Rosacea, and in Intertrigo.

Lotio Argenti Nitratis.

R. Argenti Nitratis, gr. iij.
Aquæ, ʒj.
Dissolve.

Used as a stimulant in cases of Chronic Eczema and Chronic Lichen.

Lotio Bismuthi.

R. Bismuthi Subnitratis, gr. x.
Aquæ, ʒj.
Mix.

Used as a sedative in cases of Eczema and of Acne associated with Urticaria.

Lotio Boracis.

R. Boracis, gr. xv.
Aquæ, ʒj.
Dissolve.

Used as a detergent and solvent in cases of Lichen, Acne, Eczema, Chloasma, and Tinea Tonsurans.

Lotio Calcis.

R. Olei Amygdalæ, ʒj.
Liquoris Calcis, ʒj.
Mix.

Used as a detergent in cases of Pityriasis of the scalp.

Lotio Cupri Sulphatis.

R. Cupri Sulphatis, gr. iij.
Aquaë, ʒj.
Dissolve.

Used as a stimulant and astringent in cases of Chronic Eczema.

Lotio Ferri Tartarati.

R. Ferri Tartarati, ʒss.
Aquaë, ʒj.
Dissolve.

Used as an application to soft chancres.

Lotio Glycerini.

R. Glycerini, ʒj.
Aquaë, ad ʒj.
Mix.

Used as an emollient in cases of Pityriasis and of Ichthyosis.

Lotio Hydrargyri Perchloridi.

R. Hydrargyri Perchloridi, gr. j.
Aquaë, ʒj.
Dissolve.

Used as a stimulant in cases of Chronic Eczema, of Acne, and of Acne Rosacea.

The employment of this lotion demands care.

Lotio Nigra.

R. Hydrargyri Subchloridi, gr. x.
Mucilago Tragacanthæ, ʒj.
Liquoris Calcis, ʒj.

Mix.

Used as a specific in cases of Syphilitic Ulceration.

Lotio Plumbi Subacetatis.

R. Plumbi Subacetatis Liquoris, m v.
Aquæ, ʒj.

Mix.

Used as a sedative and astringent in cases of Acute Eczema and of Acute Lichen.

Lotio Potassæ Chloratis.

R. Potassæ Chloratis, ʒss.
Aquæ, ʒj.

Dissolve.

Used as a stimulant in cases of Chronic Eczema, and as a mildly antiseptic stimulant to foul ulcers.

This is a saturated solution of the salt.

Lotio Potassæ Sulphuratæ.

R. Potassæ Sulphuratæ, gr. v.
Aquæ, 3j.
Dissolve.

Used to destroy vegetable parasites in cases of Eczema Marginatum, and as a solvent and stimulant in cases of Prurigo and of Psoriasis, and as a specific in cases of Scabies.

Lotio Sodæ Chloratæ.

R. Sodæ Chloratæ Liquoris, 3ss.
Aquæ, 3j.
Mix.

Used as a bleaching agent in cases of Lentigo, and as an antiseptic to foul ulcers.

Lotio Zinci Oxidi.

R. Zinci Oxidi.
Calamini Præparati.
Glycerini, aa 3j.
Aquæ, 3j.
Mix.

Used as a mild astringent in cases of Chronic Eczema and of Acne Rosacea.

Lotio Zinci Sulphatis.

R. Zinci Sulphatis, gr. ij.
Tincturæ Lavandulæ Compositæ, ℥ xxv.
Aquæ, 3j.
Dissolve.

Used as a stimulant and astringent in cases of Chronic Eczema.

MISTURÆ—MIXTURES.

Mistura Acidi Nitrohydrochlorici.

R. Acidi Nitrohydrochlorici Diluti, ℥ xv.
Caramel, gr. v.
Aquæ, 3j.
Mix.

Used as an alterative tonic in syphilitic cachexia, and as a tonic in cases of eruptions associated with hepatic disorder.

Mistura Alba.

R. Magnesiæ Carbonatis, gr. x.
Magnesiæ Sulphatis, 3j.
Aquæ Menthæ Piperitæ, 3j.
Mix.

Used as an antacid aperient in cases of acute or chronic eruption associated with constipation.

Mistura Arsenicalis.

R. Liquoris Arsenicalis, ℥ v.
Aquæ, 3j.
Mix.

Used as a specific in various chronic eruptions.

Mistura Assafœtidæ.

R. Assafœtidæ, gr. v.
Aquæ, 3j.
Mix.

Used as an antispasmodic in eruptions associated with hysteria.

Mistura Bismuthi.

R. Liquoris Bismuthi et Ammoniæ
Citratæ, 5j.
Acidi Hydrocyanici Diluti, ℥ iij.
Aquæ Menthæ Piperitæ, 3j.
Mix.

Used as a gastric sedative in Acne Rosacea and other eruptions of the face associated with irritative dyspepsia or pyrosis.

Mistura Bismuthi Acida.

R. Bismuthi Nitratis, gr. v.
 Glycerini, 3j.
 Aquæ, 3j.
 Dissolve.

Used for the same purposes as the Mistura Bismuthi.

Preparation.—The nitrate must first be dissolved (*without* the aid of heat) in the glycerine separately. The glycerole thus obtained is not rendered turbid on admixture with the water.

Mistura Catechu.

R. Tincturæ Catechu, 3j.
 Potassæ Bicarbonatis, gr. x.
 Aquæ Cinnamomi, 3j.
 Dissolve.

Used as an astringent in cases of Acute Lichen and other eruptions complicated with diarrhœa.

Mistura Chloralis Hydratis.

R. Chloralis Hydratis, gr. x.
 Syrupi Rhœados, 3j.
 Aquæ, ad 3j.
 Dissolve.

Used as a Hypnotic in cases of eruptions provoking irritation which precludes sleep.

Mistura Chloroformi.

R. Aquæ Chloroformi, ℥ss.
Aquæ, ad ℥j.
Mix.

Used as a cutaneous sedative in cases of Chronic Urticaria.

Mistura Colchici Alkalina.

R. Tincturæ Colchici Seminum, ℥vj.
Potassæ Bicarbonatis, gr. v.
Aquæ Pimentæ, ℥j.
Dissolve.

Used in cases of Psoriasis, Eczema, and other eruptions when complicated with a gouty habit.

Mistura Diaphoretica.

R. Vini Ipecacuanhæ, ℥v.
Spiritus Ætheris Nitrosi, ℥xxx.
Ammoniæ Acetatis Liquoris, ℥ij.
Aquæ, ℥j.
Mix.

Used in cases of eruptions, but chiefly of acute eruptions attended with febrile disturbance and heat and dryness of the general surface.

Mistura Diuretica.

R. Potassæ Acetatis, gr. xx.
Aceti Scillæ, m xx.
Tincturæ Digitalis, m v.
Aquæ, ʒj.

Dissolve.

Used in cases of eruptions complicated with œdema.

Mistura Ferri cum Opio.

R. Ferri et Ammoniaë Citratis, gr. v.
Tincturæ Opii, m iv.
Aquæ, ʒj.

Dissolve.

Used in cases of Acne and other eruptions complicated with anæmia and gastrodynia.

Mistura Ferri Perchloridi.

R. Liquor Ferri Perchloridi, m xv.
Magnesiæ Sulphatis, gr. xv.
Aquæ, ʒj.

Dissolve.

Used as a chalybeate tonic in eruptions complicated with anæmia and debility.

Mistura Hydrargyri Iodidi.

R. Hydrargyri Iodidi Rubri, gr. $\frac{1}{8}$.
Potassii Iodidi, gr. $\frac{1}{2}$.
Aquæ, $\bar{\text{z}}$ j.

Dissolve.

Used as a specific in cases of syphilitic eruptions.

Mistura Ipecacuanhæ cum Opio.

R. Vini Ipecacuanhæ, $\mathfrak{m}$ x.
Tincturæ Opii, $\mathfrak{m}$ iv.
Aquæ, $\bar{\text{z}}$ j.

Mix.

Used as a diaphoretic expectorant in Eczema and other eruptions complicated with acute bronchial catarrh.

Mistura Liquoris Potassæ.

R. Liquoris Potassæ, $\mathfrak{m}$ xx.
Aquæ, $\bar{\text{z}}$ j.

Mix.

Used as a gastric sedative in cases of Acne Rosacea and other eruptions of the face attended with dyspepsia.

Mistura Nucis Vomicae.

R. Tincturae Nucis Vomicae, ℥ xx.
Aquaë, ℥ j.
Mix.

Used as a bitter tonic and laxative in eruptions associated with a cachectic condition.

Mistura Potassii Bromidi.

R. Potassii Bromidi, gr. x.
Aquaë Camphoræ, ℥ iij.
Aquaë, ad ℥ j.
Dissolve.

Used as a general sedative in cases of chronic eruptions attended with general nervous irritability, and in attacks of acute eruption if apparently determined by anxiety or prolonged mental tension.

Mistura Potassii Iodidi.

R. Potassii Iodidi, gr. v.
Aquaë, ℥ j.
Dissolve.

Used in cases of plastic deposit complicating syphilitic or other eruptions.

Mistura Quiniæ.

R. Quiniæ Sulphatis, gr. j.
Acidi Sulphurici Diluti, m ij.
Aquæ, ℥j.

Dissolve.

Used as a bitter tonic in cases of eruptions associated with atonic dyspepsia or with general atony.

Mistura Salina.

R. Potassæ Nitratis, gr. x.
Theriacæ, gr. x.
Aquæ, ℥j.

Dissolve.

Used as a refrigerant in cases of acute eruption of various kinds.

Mistura Sarsæ.

R. Extracti Sarsæ Liquidi, ℥ij.
Aquæ, ad ℥j.

Mix.

Used in cases of syphilitic and other eruptions as an alterative tonic.

Mistura Scillæ cum Conio.

R. Tincturæ Scillæ, m̄ x.
Liquoris Potassæ, m̄ xv.
Succi Conii, m̄ xxx.
Aquæ, ad ʒj.

Mix.

Used as a stimulant expectorant in Eczema and other eruptions complicated with chronic bronchial catarrh.

Mistura Taraxaci.

R. Succi Taraxaci, ʒj.
Acidi Nitrici Diluti, m̄ v.
Aquæ, ad ʒj.

Mix.

Used as an alterative cholagogue and laxative in cases of eruptions attended with bilious cachexia.

Mistura Zinci Sulphatis.

R. Zinci Sulphatis, gr. j.
Aquæ, ʒj.

Dissolve.

Used as a nerve tonic in cases of eruptions associated with nervous debility.

PESSI—PESSARIES.

Pessus Acidi Tannici.

R. Acidi Tannici, gr. xx.
Gelatinæ, gr. iv.
Aquæ, q. s.
Glycerini, ℥ xvj.
Mix.

Used as an astringent in cases of Pruritus Vulvæ dependent on or complicated with uterine disorder.

Pessus Morphicæ.

R. Morphicæ Acetatis, gr. $\frac{1}{3}$.
Gelatinæ, gr. v.
Aquæ, q. s.
Glycerini, ℥ xx.
Mix.

Used as a sedative in cases of Pruritus Vulvæ dependent on or complicated with uterine disorder.

PIGMENTA—PIGMENTS.

Pigmentum Acidi Carbolici.

R. Acidi Carbolici.
Glycerini, $\overline{\text{aa}}$ $\overline{\text{ss}}$.
Dissolve.

Used to destroy vegetable parasites in cases of Ringworm (*Tinea Tonsurans*) and of Chloasma; as a stimulant in cases of Psoriasis, of Seborrhœa, and *Tinea Decalvans*; and as a semi-caustic application to indolent ulcers.

Pigmentum Acidi Tannici.

R. Acidi Tannici, $\overline{\text{z}}$ ij.
Glycerini, $\overline{\text{z}}$ vj.
Dissolve by aid of heat.

Used as a strong astringent in cases of excessive sweating of the feet, of Seborrhœa Oleosa, and of figurate Chronic Eczema, and as an application to the throat in cases of eruptions complicated with simple chronic sore-throat.

Pigmentum Aloës.

R. Extracti Aloës Barbadosensis, ʒiij.
Glycerini, ʒvj.

Dissolve.

Used as a mild stimulant in cases of Chronic Eczema.

Pigmentum Benzolis.

(Benzine.)

Used in Seborrhœa, in Acne, and generally for the purpose of dissolving off grease, whether sebaceous or artificially acquired (as ointment, &c.), from the skin.

Pigmentum Glycerini.

R. Glycerini.
Spiritus Vini Rectificati, aa ʒj.

Dissolve.

Used as an emollient in cases of Ichthyosis.

Pigmentum Hydrargyri Perchloridi.

R. Hydrargyri Perchloridi, gr. ij.
 Glycerini, ℥ij.
 Spiritûs Vini Rectificati, ℥j.

Dissolve.

Used to destroy vegetable parasites in cases of Ringworm (*Tinea Tonsurans*), of Chloasma, of Eczema Marginatum, and of Favus.

This is more efficacious as a ringworm lotion than the *aqueous* solution of the sublimate.

The spirit, holding in solution the Glycerole of the Sublimate, enables the latter to be diffused uniformly over the skin. Thus applied, the glycerine solution of sublimate left by the evaporation of the spirit, penetrates efficiently the affected tissues.

Pigmentum Iodi.

R. Iodi, ℥ss.
 Potassii Iodidi, ℥ij.
 Glycerini, ℥j.

Dissolve.

Used to destroy vegetable parasites in cases of Ringworm, &c., and as a stimulant in cases of Psoriasis and of figurate Chronic Lichen.

Pigmentum Olei Cadi.

R. Olei Juniperi Empyrei, q. s.
(Huile de Cade.)

Used as a stimulant in cases of Psoriasis and of Chronic Eczema.

Pigmentum Olei Ricini.

R. Olei Ricini, 3iij.
Spiritûs Vini Rectificati, 3vj.

Dissolve.

Used as a mildly stimulating application to the scalp in cases of Pityriasis and of Seborrhœa Sicca.

Castor oil is the only fixed oil which dissolves freely in rectified spirit.

Pigmentum Picis cum Iodo.

R. Iodi, 3ij.
Olei Picis Rectificati, 3j.

Dissolve cautiously.

Used to destroy vegetable parasites in cases of Ringworm (Tinea Tonsurans), of Chloasma, of Eczema Marginatum, and of Favus.

Pigmentum Picis Liquidæ.

R. Picis Liquidæ.

Spiritûs Vini Rectificati, aa $\bar{3}$ ss.

Dissolve.

Used as a stimulant in cases of Psoriasis and of Chronic Dry Eczema. Its use in Eczema demands caution.

This solution constitutes a very convenient means of applying tar to the skin.

Pigmentum Plumbi.

(Plumbi Subacetatis Glycerinum.)

The Plumbi Subacetatis Liquor made with Glycerine in place of water.

Used (diluted to a varying extent with glycerine) as an astringent and sedative in cases of Chronic Eczema.

PILULÆ—PILLS.

Pilula Acidi Arseniosi.

R. Acidi Arseniosi, gr. $\frac{1}{12}$.
Piperis Nigri, gr. $\frac{1}{2}$.
Extracti Gentianæ, gr. ij.

Mix.

Used as a specific in various chronic eruptions.

Pilula Aloës et Assafoetidæ cum Ferro.

R. Ferri Sulphatis, gr. j.
Pilulæ Aloës et Assafoetidæ, gr. iv.

Mix.

Used in cases of eruptions associated with Chlorosis.

Pilula Crotonis Olei.

R. Crotonis Olei, m $\frac{1}{4}$.
Extracti Colocynthis Compositi, gr. v.

Mix.

Used as a strong aperient in eruptions complicated with obstinate habitual constipation.

Pilula Hydrargyri cum Colocynthide.

R. Pilulæ Hydrargyri, gr. ij.
Pilulæ Colocynthidis et Hyoseyami, gr. iij.

Mix.

Used as an aperient in eruptions complicated with bilious constipation.

Pilula Hydrargyri Iodidi Viridis.

R. Hydrargyri Iodidi Viridis, gr. $\frac{1}{2}$.
Pulvis Opii, gr. $\frac{1}{4}$.
Extracti Gentianæ, gr. ij.

Mix.

Used as a specific in cases of syphilitic eruptions.

Pilula Opii et Conii.

R. Extracti Conii, gr. j.
Pilulæ Saponis Compositæ, gr. ij.

Mix.

Used as a sedative in eruptions associated with nervous irritability.

Pilula Podophylli cum Nuce Vomicae.

R. Resinae Podophylli, gr. $\frac{1}{6}$.
Extracti Nucis Vomicae, gr. $\frac{1}{4}$.
Extracti Gentianae, gr. ij.

Mix.

Used as an aperient in eruptions complicated with an atonic bilious condition.

Pilula Zinci Valerianatis.

R. Zinci Valerianatis.
Confectionis Rosae Caninae, aa gr. ij.

Mix.

Used as a tonic in eruptions associated with nervous languor.

PULVERES—POWDERS.

Pulvis Amygdalæ.

R. Pulvis Amygdalæ dulcis, q. s.

Used, after being made into a thin paste with water, as a bland detergent, in place of soap and water, in irritable conditions of the skin.

Pulvis Bismuthi Compositus.

R. Bismuthi Subnitratis, 3vj.
Plumbi Chromatis, gr. x.
Carmini, gr. v.
Cinnabaris Factitiæ, gr. v.

Mix.

Used as a sedative and cosmetic in various eruptions of the face.

Pulvis Cimoliæ.

R. Pulvis Terræ Cimoliæ, q. s.
(Fuller's Earth.)

Used as an absorbent application in Intertrigo and in Eczema.

Pulvis Lycopodii.

R. Pulvis Lycopodii, q. s.

Used as a bland application in cases of Acute Eczema.

Pulvis Zinci Oxidi et Aluminis.

R. Zinci Oxidi.
Pulvis Asbesti.
Pulvis Iridis Radicis, aa 3ss.
Pulvis Amyli, 3j.

Mix.

Used as a mild astringent application in cases of Acute Eczema.

Pulvis Zinci Oxidi et Calamini.

R. Zinci Oxidi.

Calamini Præparati, aa ʒss.

Mix.

Used as a mild astringent application in cases of Intertrigo, of Chronic Eczema, and of Acne Rosacea.

SAPONES—SOAPS.

Sapo Durus cum Glycerino.

Brand "F. A. Sarg" (of Vienna).

This, which is a specially bland and emollient soap, is employed for ordinary use in irritable conditions of the skin, such as Acute Lichen and Chronic Urticaria, and also for the purpose of softening and dissolving off dried or viscid secretion from raw and tender surfaces—for example, inflamed Eczema or sensitive ulcers. Its clean fresh taste permits of its being used also (in solution) as a mouth-wash and gargle for removing mucus previous to the use of other remedies.

Spiritus Saponis Mollis.

R. Saponis Mollis Optimi, ʒj.
Spiritus Vini Rectificati, ʒss.

Dissolve.

Used, mixed with warm water, to soften and remove scales and incrustation in the less irritable conditions of the skin—for example, in Psoriasis, in Lupus, in Syphilitic Ulcerations, and in Seborrhœa. Used also as in itself a moderate stimulant in similar conditions.

SUPPOSITORIA—SUPPOSITORY.

Suppositoria Acidi Tannici cum Opio.

R. Acidi Tannici, gr. xv.
Pulvis Opii, gr. j.
Glycerini, m ij.
Saponis Duri, gr. viij.

Mix.

Used in cases of Prurigo Podicis dependent on or complicated with a congested condition of the rectum.

UNGUENTA—OINTMENTS.

Unguentum Acidi Boracici.

R. Acidi Boracici, ʒj.
Adipis, ʒj.
Mix.

Used in cases of Eczema.

Unguentum Acidi Chrysophanici.

R. Acidi Chrysophanici, ʒij.
Adipis, ʒj.

Heat together in a water-bath for half an hour; when set, mix with pestle and mortar.

Used in cases of Psoriasis, of Erythema Marginatum, of Chloasma, of Acne Tuberculata, of Acne Rosacea.

Caution.—The erythema, which arises after sometimes only a few applications of this ointment, should be watched for, and on its first appearance the use of the ointment should be promptly discontinued. In all cases it is necessary to avoid carefully the immediate neighbourhood of the eyelids, which otherwise are apt to be rendered cedematous.

Unguentum Acidi Pyrogallici.

R. Acidi Pyrogallici, gr. x.
Adipis, ʒj.
Mix.

Used in cases of Psoriasis.

Unguentum Acidi Salicylici.

R. Acidi Salicylici, ʒss.
Adipis, ʒj.
Mix.

Used in cases of Eczema.

Unguentum Acidi Tannici cum Opio.

R. Acidi Tannici.
Pulvis Opii, aa ʒss.
Adipis, ʒj.
Mix.

Used in cases of Prurigo Podicis.

Unguentum Alizarini.

R. Alizarini Factitii, ʒj.
Adipis, ʒj.
Mix.

Used in cases of Chloasma.

Unguentum Bismuthi.

R. Bismuthi Subnitratis, ʒj.
Adipis, ʒj.

Mix.

Used in cases of Eczema and of Lentigo.

Unguentum Calamini.

R. Calamini Præparati, ʒij.
Adipis, ʒj.

Mix.

Used in cases of Eczema.

Unguentum Camphoræ.

R. Camphoræ, ʒss.
Adipis, ʒj.

Melt together.

Used as a stimulant and sedative in cases of Eczema.

Unguentum Creasoti Forte.

R. Creasoti, ʒvj.
Cerae Albæ, ʒiij.

Melt with heat.

Used in cases of Psoriasis.

Caution.—This ointment should not be used to the face or belly or flexor surfaces of the limbs.

Unguentum Diachyli.

R. Emplastri Plumbi, ʒss.
Vaselini, ʒss.

Melt with heat.

Used in cases of Eczema and of excessive sweating of the feet.

**Unguentum Hydrargyri Iodidi Rubri
Forte.**

R. Hydrargyri Iodidi Rubri, ʒj.
Adipis, ʒj.

Mix.

Used in cases of Alopecia Areata and of Acne Tuberculata of the trunk.

Caution.—The employment of this ointment demands care.

Unguentum Hydrargyri Oleatis.

R. Hydrargyri Oleatis, ʒij.
 (10 p. c.)
 Adipis, ʒj.
 Mix.

Used in cases of Eczema of the scalp, of Ringworm (Tinea Tonsurans).

Unguentum Hydrargyri Oxidi Flavi.

R. Hydrargyri Oxidi Flavi, gr. xv.
 Adipis, ʒj.
 Mix.

Used in cases of Chronic Eczema, of Pityriasis Fusca (of the face and neck), of Psoriasis of the face, of Ringworm (Tinea Tonsurans), of Chronic Lichen, of Syphilitic Eruptions.

Unguentum Hydrargyri Perchloridi.

R. Hydrargyri Perchloridi, gr. viij.
 Adipis, ʒj.
 Mix.

Used in cases of Ringworm (Tinea Tonsurans).

Unguentum Iodoformi.

R. Iodoformi, 3j.

Adipis, 3j.

Mix.

Used in cases of Syphilitic Eruptions.

Unguentum Olei Betulæ.

R. Olei Betulæ Albæ, 3v.

Ceræ Flavæ, 3ij.

Melt.

Used in cases of Psoriasis and of Dry Eczema.

Caution.—The use of this ointment in Eczema demands care.

Unguentum Olei Staphisagriæ.

R. Olei Staphisagriæ, 3j.

Adipis, 3j.

Mix.

Used as a non-irritant remedy in Scabies and in Phtheiriasis.

Unguentum Plumbi Glycerini.

R. Plumbi Subacetatis Glycerini, ʒss.
Vaselini, ʒj.
Mix.

Used as a bland astringent in cases of
Acute or Subacute Eczema.

Unguentum Styracis.

R. Styracis Præparati, ʒij.
Adipis, ʒj.
Mix.

Used in cases of Scabies.

Unguentum Sulphuris cum Potassâ.

R. Sulphuris Præcipitati, ʒij.
Potassæ Carbonatis, ʒj.
Cinnabaris Factitiæ, gr. ij.
Olei Bergamot, ℥ ij.
Adipis, ʒj.
Mix.

Used in cases of Scabies.

Unguentum Zinci Oleatis.

R. Zinci Oleatis, 5ij.

Adipis, 3j.

Mix.

Used in Chronic and in Subacute Eczema.

INDEX.

	PAGE
ABSOLUTE Alcohol	14
Acetate of Ammonia Solution	34
Acetate of Morphia	40
Acetate of Potash	35
Acetum Scillæ	35
Acid, Arsenious	11
Acid Bath	8
Acid, Benzoic	24
Acid Bismuth Mixture	33
Acid, Boracic	25, 52
Acid, Carbolic.. .. .	11, 25, 41
Acid, Chromic.. .. .	12
Acid, Chrysophanic	52
Acid, Dilute Hydrocyanic	32
Acid, Dilute Nitric	26
Acid, Dilute Nitrohydrochloric	31
Acid, Dilute Sulphuric	38
Acid, Nitrohydrochloric	53
Acid, Pyrogallie	8
Acid, Salicylic	53
Acid, Sulphurous	26
Acid, Tannic	21, 40, 41, 51, 53
Acid, Tannic, Suppository of	51
Acid Tartrate of Potash	17
Acidum Arseniosum	11, 46
Acidum Benzoicum	24
Acidum Boracicum	25, 52
Acidum Carbolicum	11, 25, 41
Acidum Chromicum	12
Acidum Hydrocyanicum Dilutum	25, 32

	PAGE
Acidum Nitricum Dilutum	26, 39
Acidum Nitrohydrochloricum	8
Acidum Nitrohydrochloricum Dilutum	31
Acidum Sulphuricum Dilutum	38
Acidum Sulphurosum	26
Acidum Tannicum	21, 40, 41, 51
Ætheris Nitrosi Spiritus	34
Æthylate of Soda Caustic	14
Alcohol Absolutum	14
Alizarine Ointment	53
Alizarinum Factitium	53
Alkaline Bath	8
Almond-meal	48
Almond-oil	27
Aloes, Assafoetida, and Iron Pills	46
Aloës et Assafoetidæ Pilula	46
Aloes Paint	42
Alum	24, 26
Alum Lotion	26
Alum and Zinc Injection	24
Alumen	24, 26
Ammoniæ Acetatis Liquor	34
Amygdalæ Oleum	27
Amygdalæ Pulvis	48
Amylum	49
Aqua Camphoræ	37
Aqua Chloroformi	34
Aqua Cinnamomi	33
Aquæ Medicatæ	7
Aqua Menthæ Piperitæ	31, 32
Aqua Pimentæ	34
Argenti Nitras	12
Arsenic Caustic	11
Arsenic Pills	46
Arsenical Mixture	32
Arsenical Solution	32
Arsenious Acid	11, 46
Artificial Cinnabar	11

	PAGE
Asbestos	49
Assafoetida	32, 46
Assafoetida Mixture	32
Atropiæ Sulphas	16
Atropine Eye-water	16
Balnea	7
Balneum Acidum	8
Balneum Alkalinum	8
Balneum Creasoti	8
Balneum Diuturnum	9
Balneum Glutinis	9
Balneum Marinum	9
Balneum Potassæ Sulphuratæ	9
Barbadoes Aloe Paint	42
Baths	7
Benzine	42
Benzoic Acid	24
Benzoic Acid Lotion	24
Benzol	42
Bergamot, Oil of	58
Betulæ Albæ Oleum	57
Bicarbonate of Potash	33
Birch Tar Ointment	57
Bismuth Lotion	27
Bismuth Mixture	32
Bismuth Mixture (Acid)	33
Bismuth Ointment	54
Bismuth Powder, Compound	49
Bismuthi et Ammoniæ Citratis Liquor	32
Bismuthi Nitræs	33
Bismuthi Subnitræs	27, 49, 54
Black Pepper	46
Black Wash	29
Blue Pill with Colocynth	47
Boracic Acid	25
Boracic Acid Lotion	25
Boracic Acid Ointment	52

	PAGE
Borax	27
Borax Lotion	27
Bread-crumb	10
Bread Poultice	10
Bromide of Potassium Mixture	37
Cade, Oil of	44
Calamine Ointment	54
Calamine, Prepared	30, 50, 54
Calaminum Præparatum	30, 50, 54
Calcis Liquor	19
Calomel	29
Calx	13
Calx Sulphurata	13
Camphor	54
Camphor Ointment	54
Camphor-water	37
Capsulæ	10
Capsulæ Olei Phosphorati	10
Capsules	10
Caramel	31
Carbolic Acid	11, 25, 41
Carbolic Acid Caustic	11
Carbolic Acid Lotion	25
Carbolic Acid Paint	41
Carbonate of Magnesia	31
Carbonate of Potash	58
Carbonate of Soda	8
Carmine	13, 49
Castor-oil Paint	44
Cataplasma Micæ Panis	10
Cataplasma Thymolis	10
Cataplasmata	10
Catechu Mixture	33
Catechu Tincture	33
Caustic Potash	13
Caustica	11
Caustics	11

	PAGE
Causticum Acidi Arseniosi	11
Causticum Acidi Carbolici	11
Causticum Acidi Chromici	12
Causticum Argenti Nitratis	12
Causticum Depilatorium	13
Causticum Iodi	13
Causticum Potassæ cum Calce	13
Causticum Sabinæ	14
Causticum Sodæ Æthylatis	14
Causticum Zinci Chloridi	15
Cera Alba	55
Cera Flava	18, 57
Chloral Hydrate	33
Chloral Mixture	33
Chlorate of Potash	22, 29
Chlorate of Potash Gargle	22
Chlorate of Potash Lotion	29
Chloride of Zinc	15
Chloride of Zinc Caustic	15
Chlorinated Soda Gargle	22
Chlorinated Soda Lotion	30
Chloroform	34
Chloroform Mixture	34
Chromate of Lead	49
Chromic Acid	12
Chromic Acid Caustic	12
Chrysophanic Acid Ointment	52
Cimolia Terra	49
Cinnabar Factitia	11, 49, 58
Cinnamon-water	33
Citrate of Iron and Ammonia	35
Clyster	19
Colchicum Mixture	34
Colchicum Tincture	34
Collyria	15
Collyrium Atropiæ Sulphatis	16
Collyrium Cupri Sulphatis	16
Collyrium Hydrargyri Perchloridi	16

	PAGE
Collyrium Zinci Sulphatis	17
Colocynth, Compound Extract of	46
Colocynth and Henbane Pill	47
Compound Bismuth Powder	49
Compound Extract of Colocynth	46
Compound Mercurial Plaster	18
Compound Soap Pill	47
Compound Sulphur Confection	17
Compound Tincture of Lavender	31
Confectio	17
Confectio Rosæ Caninæ	48
Confectio Sulphuris Composita	17
Confection	17
Conii Extractum	47
Conii Succus	39
Copper, Sulphate of	16, 28
Corrosive Sublimate	16
Corrosive Sublimate Eye-water	16
Corrosive Sublimate Gargle	21
Corrosive Sublimate Lotion	28
Creasote	8, 55
Creasote Bath	8
Creasote Ointment, Strong	55
Creasotum	8, 55
Croton-oil Pills	46
Crotonis Oleum	46
Cupri Sulphas	16, 28
Dandelion Mixture	39
Depilatory Caustic	13
Diachylon Ointment	55
Diaphoretic Mixture	34
Digitalis, Tincture of	35
Dilute Hydrocyanic Acid	25, 32
Dilute Nitric Acid	26
Dilute Nitrohydrochloric Acid	31
Dilute Sulphuric Acid	38
Diuretic Mixture	35

	PAGE
Emplastrum	18
Emplastrum Hydrargyri Compositum	18
Emplastrum Plumbi	18, 55
Enema	19
Enema Calcis cum Ferro	19
Extract of Gentian	47
Extract of Hemlock	47
Extractum Aloës Barbadosis	42
Extractum Colocynthis Compositum	46
Extractum Conii	47
Extractum Gentianæ	46, 48
Extractum Nucis Vomicae	48
Extractum Sarsæ Liquidum	38
Eye-waters	15
Farina Lini	10
Ferri et Ammoniaë Citras	35
Ferri Perchloridum	19
Ferri Sulphas	46
Ferrum Tartaratum	28
Gargarisma Acidi Tannici	21
Gargarisma Hydrargyri Perchloridi	21
Gargarisma Potassæ Chloratis	22
Gargarisma Sodæ Chloratæ	22
Gargarismata	20
Gargles	20
Gelatine	40
Gentian Extract	46
Gluten Præparatum	9
Glycerine 23, 28, 30, 33, 40, 41, 42, 43,	51
Glycerine Lotion	28
Glycerine Soap	50
Glycerinum 23, 28, 30, 33, 40, 41, 42, 43,	51
Glycerinum Acidi Tannici	21
Glycerinum Guaiaci	23
Glycerole	23
Glycerole of Guaiacum	23

	PAGE
Glycerole of Lead Ointment	58
Glycerole of Subacetate of Lead	45, 58
Glycerole of Tannic Acid	21
Green Iodide of Mercury Pills	47
Guaiacum Tincture	23
Hemlock, Extract of	47
Hemlock Juice	39
Henbane	47
Huile-de-Cade Paint	44
Hydrargyri Iodidum Rubrum	36
Hydrargyri Iodidum Viride	47
Hydrargyri Perchloridum	16, 56
Hydrargyri Oleas	56
Hydrargyri Oxidum Flavum	56
Hydrargyri Pilula	47
Hydrargyri Subchloridum	29
Hydrargyrum	18
Hydrate of Chloral Mixture	33
Hydrocyanic Acid, Dilute	25
Hyoseyamus	47
Injectio Aluminis et Zinci	24
Injectio Vaginalis	24
Iodide of Mercury Mixture	36
Iodide of Mercury, Red	55
Iodide of Potassium	13, 36
Iodide of Potassium Mixture	37
Iodine	13, 44
Iodine Caustic	13
Iodine Paint	43
Iodoform	57
Iodoform Ointment	57
Iodum	13, 44
Ipecacuanha and Opium Mixture	36
Ipecacuanha Wine	34, 36
Iridis Radicis Pulvis	49
Iris Powder	49

	PAGE
Iron and Opium Mixture	35
Iron, Perchloride of	19
Iron, Sulphate of	46
Iron, Tartarated	28
Juniper Tar	44
Lavender, Compound Tincture of	31
Lead, Chromate of	49
Lead, Glycerole of Subacetate of	45, 58
Lead Lotion	29
Lead Paint	45
Lead Plaster	18, 55
Lead, Solution of Subacetate of	29
Lime	13
Lime and Iron Clyster	19
Lime Lotion	27
Lime Solution	19
Lime, Sulphurated	13
Lime-water	19, 27, 29
Lini Farina	10
Linseed Meal	10
Liquor Arsenicalis	32
Liquor Bismuthi et Ammonia Citratis	32
Liquor Calcis	19, 27, 29
Liquor Ferri Perchloridi	35
Liquor Potassæ	39
Lotio Acidi Benzoici	24
Lotio Acidi Boracici	25
Lotio Acidi Carbolici	25
Lotio Acidi Hydrocyanici	25
Lotio Acidi Nitrici	26
Lotio Acidi Sulphurosi	26
Lotio Aluminis	26
Lotio Argenti Nitratis	27
Lotio Bismuthi	27
Lotio Boracis	27
Lotio Calcis	27

	PAGE
Lotio Cupri Sulphatis	28
Lotio Ferri Tartarati	28
Lotio Glycerini	28
Lotio Hydrargyri Perchloridi	28
Lotio Nigra	29
Lotio Plumbi Subacetatis	29
Lotio Potassæ Chloratis	29
Lotio Potassæ Sulphuratæ	30
Lotio Sodæ Chloratæ	30
Lotio Zinci Oxidi	30
Lotio Zinci Sulphatis	31
Lotiones	24
Lotions	24
Lycopodium Powder	49
Magnesia Carbonas	31
Magnesia Sulphas	31, 35
Medicated Waters	7
Mercurial Plaster, Compound	18
Mercury	18
Mercury, Oleate of	56
Mercury, Perchloride of	16
Mercury, Red Iodide of	36, 55
Mercury, Subchloride of	29
Mercury, Yellow Oxide of	56
Micæ Panis	10
Mistura Acidi Nitrohydrochlorici	31
Mistura Alba	31
Mistura Arsenicalis	32
Mistura Assafoetidæ	32
Mistura Bismuthi	32
Mistura Bismuthi Acida	33
Mistura Catechu	33
Mistura Chloralis Hydratis	33
Mistura Chloroformi	34
Mistura Colchici Alkalina	34
Mistura Diaphoretica	34
Mistura Diuretica	35

	PAGE
Mistura Ferri cum Opio	35
Mistura Ferri Perchloridi	35
Mistura Hydrargyri Iodidi	36
Mistura Ipecacuanhæ cum Opio	36
Mistura Liquoris Potassæ	36
Mistura Nucis Vomicæ	37
Mistura Potassii Bromidi	37
Mistura Potassii Iodidi	37
Mistura Quiniæ	38
Mistura Salina	38
Mistura Sarsæ	38
Mistura Scillæ cum Conio	39
Mistura Taraxaci	39
Mistura Zinci Sulphatis	39
Misturæ	31
Mixtures	31
Morphiæ Acetas	40
Mucilage of Tragacanth	29
Mucilago Tragacanthæ	29
Nitrate of Bismuth	33
Nitrate of Potash	38
Nitrate of Silver	12
Nitrate of Silver Caustic	12
Nitrate of Silver Lotion	27
Nitric Acid, Dilute	26
Nitric Acid Lotion	26
Nitrohydrochloric Acid	8
Nitrohydrochloric Acid Mixture	31
Nitrous Æther Spirit	34
Nucis Vomicæ Extractum	48
Nux Vomica Mixture	37
Nux Vomica Tincture	37
Oil, Almond	27
Oil, Bergamot	58
Oil, Castor	44
Oil, Croton	46

	PAGE
Oil, Olive	10
Oil, Phosphorated	10
Oil of Stavesacre	57
Oil of Tar	44
Oil of Turpentine	18
Ointments	52
Oleate of Mercury Ointment	56
Oleate of Zinc Ointment	59
Oleum Amygdalæ	27
Oleum Bergamot	58
Oleum Betulæ Albæ	57
Oleum Crotonis	46
Oleum Juniperi Empyreum	44
Oleum Olivæ	10
Oleum Phosphoratum	10
Oleum Picis Rectificatum	44
Oleum Ricini	44
Oleum Staphisagriæ	57
Oleum Terebinthinæ	18
Olive Oil	10
Opii Pulvis	47, 51, 53
Opium and Hemlock Pill	47
Opium, Tincture of	35, 36
Oxide of Mercury, Yellow	56
Oxide of Zinc	13, 14, 15, 30
Oxide of Zinc and Alum Powder	49
Oxide of Zinc and Calamine Powder	50
Oxide of Zinc Lotion	30
Paints	41
Pepper, Black	46
Peppermint-water	31, 32
Perchloride of Iron	19
Perchloride of Iron Mixture	35
Perchloride of Mercury	16
Perchloride of Mercury Eye-water	21
Perchloride of Mercury Gargle	21
Perchloride of Mercury Lotion	28

	PAGE
Perchloride of Mercury Ointment	56
Perchloride of Mercury Paint	43
Pessaries	40
Pessi	40
Pessus Acidi Tannici	40
Pessus Morphiæ	40
Phosphorated Oil	10
Phosphorus Oil Capsules	10
Picis Oleum Rectificatum	44
Pigmenta	41
Pigmentum Acidi Carbolici	41
Pigmentum Acidi Tannici	41
Pigmentum Aloës	42
Pigmentum Benzolis	42
Pigmentum Glycerini	42
Pigmentum Hydrargyri Perchloridi	43
Pigmentum Iodi	43
Pigmentum Olei Cadi	44
Pigmentum Olei Ricini	44
Pigmentum Picis cum Iodo	44
Pigmentum Picis Liquidæ	45
Pigmentum Plumbi	45
Pills	46
Pilula Acidi Arseniosi	46
Pilula Aloës et Assafoetidæ	46
Pilula Aloës et Assafoetidæ cum Ferro	46
Pilula Colocynthis cum Hyoscyamo	47
Pilula Crotonis Olei	46
Pilula Hydrargyri	47
Pilula Hydrargyri cum Colocynthide	47
Pilula Hydrargyri Iodidi Viridis	47
Pilula Opii et Conii	47
Pilula Podophylli cum Nuce Vomicae	48
Pilula Saponis Composita	47
Pilula Zinci Valerianatis	48
Pilulæ	46
Pimento-water	34
Piper Nigrum	46

	PAGE
Pix Liquida	45
Plaster	18
Plaster, Lead	18
Plumbi Chromas	49
Plumbi Emplastrum	18, 55
Plumbi Subacetatis Glycerinum	45, 58
Plumbi Subacetatis Liquor	29
Podophylli Resina	48
Podophyllin and Nux Vomica Pills	48
Potassa Caustica	13
Potassa Sulphurata	9, 30
Potassæ Acetas	35
Potassæ Bicarbonas	33, 34
Potassæ Chloras	22, 29
Potassæ Carbonas	58
Potassæ Nitras	38
Potassæ Tartras Acida	17
Potash, Acetate of	35
Potash, Bicarbonate of	33
Potash, Carbonate of	58
Potash, Caustic	13
Potash, Chlorate of	22, 29
Potash Lime Caustic	13
Potash Mixture	36
Potash, Nitrate of	38
Potash, Solution of	36
Potash, Sulphurated	9, 30
Potassii Bromidum	37
Potassii Iodidum	13, 36, 37, 43
Potassium, Iodide of	13, 36, 37, 43
Poultices	10
Powder, Bismuth	49
Powdered Opium	47, 51
Powders	48
Precipitated Sulphur	17, 58
Prepared Calamine	30, 50, 54
Prepared Storax	18, 58
Prolonged Water-bath	9

	PAGE
Prussic Acid Lotion	25
Pulveres	48
Pulvis Amygdalæ	48
Pulvis Amyli	49
Pulvis Asbesti	49
Pulvis Bismuthi Compositus	49
Pulvis Cimoliæ	49
Pulvis Iridis Radicis	49
Pulvis Lycopodii	49
Pulvis Opii	47, 51
Pulvis Sabinæ	14
Pulvis Zinci Oxidi et Aluminis	49
Pulvis Zinci Oxidi et Calamini	50
Pyrogallic Acid Ointment	53
Quinine Mixture	38
Rectified Oil of Tar	44
Rectified Spirit of Wine	12, 13, 42, 43, 51
Red Iodide of Mercury	36
Red Iodide of Mercury Ointment	55
Red Poppies, Syrup of	33
Resin	18
Resina	18
Resina Podophylli	48
Rhœados Syrupus	33
Ricini Oleum	44
Rosæ Caninæ Confectio	48
Sabinæ Pulvis	14
Sal Marinus	9
Salicylic Acid Ointment	53
Saline Mixture	38
Sapo Durus	51
Sapo Durus cum Glycerino	50
Sapo Mollis	51
Sapones	50

	PAGE
Saponis Mollis, Spiritus	51
Sarg's Glycerine Soap	50
Sarsæ Extractum Liquidum	38
Sarsaparilla Mixture	38
Savin Caustic	14
Savin Powder	14
Scillæ Acetum	35
Sea-salt	9
Sea-water Bath	9
Silver, Nitrate of	12
Size	9
Size Bath	9
Soap, Glycerine	50
Soap, Hard	51
Soap Pill, Compound	47
Soap, Soft	51
Soaps	50
Sodæ Æthylas	14
Soda, Chlorinated	22
Sodæ Carbonas	8
Sodæ Chloratæ Liquor	22
Solution of Chlorinated Soda	22
Solution of Citrate of Bismuth and Ammonia	32
Solution of Perchloride of Iron	35
Solution of Potash	36, 39
Solution of Subacetate of Lead	29
Spirit of Soft Soap	51
Spirit of Wine	12, 13, 42, 43, 51
Spiritus Ætheris Nitrosi	34
Spiritus Saponis Mollis	51
Spiritus Vini Rectificati	12, 13, 42, 43, 51
Squill and Hemlock Mixture	39
Squill Tincture	39
Squills, Vinegar of	35
Staphisagriæ Oleum	57
Starch	49
Stavesacre-oil Ointment	57
Storax Ointment	58

	PAGE
Storax, Prepared	18
Strong Creasote Ointment	55
Styrax Præparata	18, 58
Subacetate of Lead, Glycerole of	45
Subacetate of Lead, Solution of	29
Subchloride of Mercury	29
Subnitrate of Bismuth	27, 49, 54
Succus Couli	39
Succus Taraxaci	39
Sulphate of Atropia	16
Sulphate of Copper	16, 28
Sulphate of Copper Lotion	28
Sulphate of Copper Eye-water	16
Sulphate of Iron	46
Sulphate of Magnesia	31
Sulphate of Quinine	38
Sulphate of Zinc	17, 31
Sulphate of Zinc Eye-water	17
Sulphate of Zinc Lotion	31
Sulphate of Zinc Mixture	39
Sulphur Bath	9
Sulphur Confection	17
Sulphur and Potash Ointment	58
Sulphur, Precipitated	17, 58
Sulphur Præcipitatum	17, 58
Sulphurated Lime	13
Sulphurated Potash	9, 30
Sulphurated Potash Lotion	30
Sulphuric Acid, Dilute	38
Sulphurous Acid	26
Sulphurous Acid Lotion	26
Suppositoria	51
Suppositoria Acidi Tannici cum Opio	51
Suppository	51
Syrup of Red Poppies	33
Syrupus Rhæados	33
Tannic Acid	21, 40, 51

	PAGE
Tannic Acid Gargle	21
Tannic Acid and Opium Ointment	53
Tannic Acid Paint	41
Tannic Acid Suppository	51
Tar	45
Tar, Birch	57
Tar, Oil of	44
Tar-oil and Iodine Paint	44
Tar Paint	45
Taraxacum Juice	39
Tartarated Iron	28
Tartarated Iron Lotion	28
Tartrate of Potash, Acid	17
Terræ Cimoliæ, Pulvis	49
Terebinthinæ Oleum	18
Theriaca	17, 38
Thymol	10
Thymol Poultice	10
Tinctura Catechu	33
Tinctura Colchici Semen	34
Tinctura Digitalis	35
Tinctura Ferri Perchloridi	19
Tinctura Guaiaci	23
Tinctura Lavandulæ Composita	31
Tinctura Nucis Vomiceæ	37
Tinctura Opii	35, 36
Tinctura Scillæ	39
Tincture of Guaiacum	23
Tincture of Steel	19
Tragacanth Mucilage	29
Tragacanthæ Mucilago	29
Treacle	17, 38
Turpentine Oil	18
Unguenta	52
Unguentum Acidi Boracici	52
Unguentum Acidi Chrysophanici	52
Unguentum Acidi Pyrogallici	53

	PAGE
Unguentum Acidi Salicylici	53
Unguentum Acidi Tannici cum Opio	53
Unguentum Alizarini	53
Unguentum Bismuthi	54
Unguentum Calamini	54
Unguentum Camphoræ	54
Unguentum Creasoti Forte	55
Unguentum Diachyli	55
Unguentum Hydrargyri Iodidi Rubri Forte	55
Unguentum Hydrargyri Oleatis	56
Unguentum Hydrargyri Oxidi Flavi	56
Unguentum Hydrargyri Perchloridi	56
Unguentum Iodoformi	57
Unguentum Olei Betulæ	57
Unguentum Olei Staphisagriæ	57
Unguentum Plumbi Glycerini	58
Unguentum Styracis	58
Unguentum Sulphuris cum Potassâ	58
Unguentum Zinci Oleatis	59
 Vaginal Injection	 24
Valerianate of Zinc Pills	48
Vaseline	55
Vinegar of Squills	35
Vinum Ipecacuanhæ	34, 36
 Water-bath, Prolonged	 9
Water, Camphor	37
Water, Cinnamon	33
Water, Peppermint	31
Water, Pimento	34
Waters, Medicated	7
Wax, White	55
Wax, Yellow	18, 57
White Mixture	31
White Wax	55
Wine, Spirit of	12, 13, 42, 43, 51

	PAGE
Yellow Oxide of Mercury Ointment	56
Yellow Wax	18, 57
 Zinc, Chloride of	 15
Zinc, Oleate of	13, 59
Zinc, Oxide of	13, 14, 15, 30, 49, 50
Zinc, Sulphate of	17, 31, 39
Zinci Chloridum	15
Zinci Oleas	13, 59
Zinci Oxidum	13, 14, 15, 30, 49, 50
Zinci Sulphas	17, 24, 31
Zinci Valerianas	48

